

2014年 スタッフ業績一覧

Iidaka T. Role of the fusiform gyrus and superior temporal sulcus in face perception and recognition: An empirical review. *Japanese Psychological Research* 2014; 56 (1): 33-45

Chiba Y, Iseki E, Fujishiro H, Ota K, Kasanuki K, Arai H, Hirayasu Y, Sato K. Primary visual metabolism and REM sleep behavior disorder in dementia with Lewy bodies. *Psychiatry Clin Neurosci* 2014; 68 (2): 137-44

Ota K, Iseki E, Murayama N, Chiba Y, Fujishiro H, Kasanuki K, Manabe Y, Arai H, Sato K. Three presenile patients in which neuropsychological and neuroimaging examinations suggest possible progression to dementia with Lewy bodies. *Psychogeriatrics* 2014; 14 (1): 72-80

Adachi Y, Kimura H, Sato N, Nagashima W, Nakamura K, Aleksic B, Yoshida K, Fujimoto Y, Nakashima T, Ozaki N, Preoperative Level of Depression is a Predictor of Postoperative Levels of Depression in Patients with Head and Neck Cancer. *Jpn J Clin Oncol* 2014; 44 (4): 311-7

Kubota C, Okada T, Aleksic B, Nakamura Y, Kunimoto S, Morikawa M, Shiino T, Tamaji A, Ohoka H, Banno N, Morita T, Murase S, Goto S, Kanai A, Masuda T, Ando M, Ozaki N. Factor structure of the Japanese version of the edinburgh postnatal depression scale in the postpartum period. *PLoS One* 2014; 9 (8): e103941

Egawa H, Ueda Y, Kawagishi N, Yagi T, Kimura H, Ichida T. Significance of pretransplant abstinence on harmful alcohol relapse after liver transplantation for alcoholic cirrhosis in Japan. *Hepatol Res* 2014; 44 (14): E428-36

Kido M, Nakamura Y, Nemoto K, Takahashi T, Aleksic B, Furuichi A, Nakamura Y, Ikeda M, Noguchi K, Kaibuchi K, Iwata N, Ozaki N, Suzuki M. The Polymorphism of YWHAE, a Gene Encoding 14-3-3Epsilon, and Brain Morphology in Schizophrenia: A Voxel-Based Morphometric Study. *PLoS One* 2014; 9 (8): e103571

Hida H, Mouri A, Ando Y, Mori K, Mamiya T, Iwamoto K, Ozaki N, Yamada K, Nabeshima T, Noda Y. Combination of neonatal PolyI:C and adolescent phencyclidine treatments is required to induce behavioral abnormalities with overexpression of GLAST in adult mice. *Behav Brain Res* 2014; 258: 34-42

Hashimoto R, Ikeda M, Yamashita F, Ohi K, Yamamori H, Yasuda Y, Fujimoto M, Fukunaga M, Nemoto K, Takahashi T, Tochigi M, Onitsuka T, Yamasue H, Matsuo K, Iidaka T, Iwata N, Suzuki M, Takeda M, Kasai K, Ozaki N. Common variants at 1p36 are associated with superior frontal gyrus volume. *Transl Psychiatry* 2014; 4: e472

Kajio Y, Kondo K, Saito T, Iwayama Y, Aleksic B, Yamada K, Toyota T, Hattori E, Ujike H, Inada T, Kunugi H, Kato T, Yoshikawa T, Ozaki N, Ikeda M, Iwata N. Genetic association study between the detected risk variants based upon type II diabetes GWAS and psychotic disorders in the Japanese population. *J Hum Genet* 2014; 59 (1): 54-6

Nishizawa D, Fukuda K, Kasai S, Hasegawa J, Aoki Y, Nishi A, Saita N, Koukita Y, Nagashima M, Katoh R, Satoh Y, Tagami M, Higuchi S, Ujike H, Ozaki N, Inada T, Iwata N, Sora I, Iyo M, Kondo N, Won M, J, Naruse N, Uehara-Aoyama K, Itokawa M, Koga M, Arinami T, Kaneko Y, Hayashida M, Ikeda K. Genome-wide association study identifies a potent locus associated with human opioid sensitivity. *Mol Psychiatry* 2014; 19 (1): 55-62

Kimura H, Tsuboi D, Wang C, Kushima I, Koide T, Ikeda M, Iwayama Y, Toyota T, Yamamoto N, Kunimoto S, Nakamura Y, Yoshimi A, Banno M, Xing J, Takasaki Y, Yoshida M, Aleksic B, Uno Y, Okada T, Iidaka T, Inada T, Suzuki M, Ujike H, Kunugi H, Kato T, Yoshikawa T, Iwata N, Kaibuchi K, Ozaki N. Identification of rare, single-nucleotide mutations in NDE1 and their contributions to schizophrenia susceptibility. *Schizophrenia Bulletin* 2014; DOI: 10.1093/schbul/sbu147

Miyashita M, Arai M, Yuzawa H, Niizato K, Oshima K, Kushima I, Hashimoto R, Fukumoto M, Koike S, Toyota T, Ujike H, Arinami T, Kasai K, Takeda M, Ozaki N, Okazaki Y, Yoshikawa T,

Amano N, Miyata T, Itokawa M. Replication of enhanced carbonyl stress in a subpopulation of schizophrenia. *Psychiatry Clin Neurosci* 2014; 68 (1): 83-4

Miyata S, Noda A, Iwamoto K, Takahashi M, Hara Y, Kojima J, Iidaka T, Ozaki N. The effects of acute treatment with paroxetine, amitriptyline, and placebo on the equilibrium function in healthy subjects: a double-blind crossover trial. *Int J Psychiatry Clin Pract* 2014; 18 (1): 32-6

Xing J, Wang C, Kimura H, Takasaki Y, Kunimoto S, Yoshimi A, Nakamura Y, Koide T, Banno M, Kushima I, Uno Y, Okada T, Aleksic B, Ikeda M, Iwata N, Ozaki N. Resequencing and Association Analysis of PTPRA, a Possible Susceptibility Gene for Schizophrenia and Autism Spectrum Disorders. *PLoS One* 2014; 9 (11): e112531

De Rubeis S, He X, Goldberg AP, Poultney CS, Samocha K, Cicek AE, Kou Y, Liu L, Fromer M, Walker S, Singh T, Klei L, Kosmicki J, Shih-Chen F, Aleksic B, Biscaldi M, Bolton PF, Brownfeld JM, Cai J, Campbell NG, Carracedo A, Chahrour MH, Chiocchetti AG, Coon H, Crawford EL, Curran SR, Dawson G, Duketis E, Fernandez BA, Gallagher L, Geller E, Guter SJ, Hill RS, Ionita-Laza J, Jimenz Gonzalez P, Kilpinen H, Klauck SM, Kolevzon A, Lee I, Lei I, Lei J, Lehtimäki T, Lin CF, Ma'ayan A, Marshall CR, McInnes AL, Neale B, Owen MJ, Ozaki N, Parellada M, Parr JR, Purcell S, Puura K, Rajagopalan D, Rehnström K, Reichenberg A, Sabo A, Sachse M, Sanders SJ, Schafer C, Schulte-Rüther M, Skuse D, Stevens C, Szatmari P, Tammimies K, Valladares O, Voran A, Li-San W, Weiss LA, Willsey AJ, Yu TW, Yuen RK; DDD Study; Homozygosity Mapping Collaborative for Autism; UK10K Consortium, Cook EH, Freitag CM, Gill M, Hultman CM, Lehner T, Palotie A, Schellenberg GD, Sklar P, State MW, Sutcliffe JS, Walsh CA, Scherer SW, Zwick ME, Barett JC, Cutler DJ, Roeder K, Devlin B, Daly MJ, Buxbaum JD. Synaptic, transcriptional and chromatin genes disrupted in autism. *Nature* 2014; 515 (7526): 209-15

Kawamura T, Umemura T, Imamine R, Umegaki H, Kawano N, Mizoguchi A, Kawai M, Minatoguchi M, Kusama M, Kouchi Y, Watarai A, Kanai A, Nakashima E, Hotta N. Factors Associated with Brain Atrophy Estimated with Automatic Voxel- Based Morphometry of

Structural Magnetic Resonance Images in Elderly Diabetic Patients: Impact of Albuminuria on Hippocampal Atrophy. *Journal of Diabetes & Metabolism* 2014; 6 (2): DOI: 10.4172/2155-6156.1000491

Iidaka T, Harada T, Norihiro N. False memory for face in short-term memory and neural activity in human amygdala. *Brain Research* 2014; 1591: 74-85

Miyata A, Iwamoto K, Kawano N, Kohmura K, Yamamoto M, Aleksic B, Ebe K, Noda A, Noda Y, Iritani S, Ozaki N. The effects of acute treatment with ramelteon, triazolam, and placebo on driving performance, cognitive function, and equilibrium function in healthy volunteers. *Psychopharmacology* 2014; DOI: 10.1007/s00213-014-3843-4

Shishido E, Aleksic B, Ozaki N. Copy-number variation in the pathogenesis of autism spectrum disorder. *Psychiatry Clin Neurosci* 2014; 68 (2): 85-95

Takahashi T, Nakamura Y, Nakamura Y, Aleksic B, Takayanagi Y, Furuichi A, Kido M, Nakamura M, Sasabayashi D, Ikeda M, Noguchi K, Kaibuchi K, Iwata N, Ozaki N, Suzuki M. The polymorphism of YWHAE, a gene encoding 14-3-3epsilon, and orbitofrontal sulcogyral pattern in patients with schizophrenia and healthy subjects. *Prog Neuropsychopharmacol Biol Psychiatry* 2014; 51C: 166-171

Kiyama S, Kunimi M, Iidaka T, Nakai T. Distant functional connectivity for bimanual finger coordination declines with aging: An fMRI and SEM exploration. *Frontiers in Human Neuroscience* 2014; DOI: 10.3389/fnhum.2014.00251

Morita T, Senzaki K, Ishihara R, Umeda K, Iwata N, Nagai T, Hida H, Nabeshima T, Yukawa K, Ozaki N, Noda Y. Plasma dehydroepiandrosterone sulfate levels in patients with major depressive disorder correlate with remission during treatment with antidepressants. *Hum Psychopharmacol* 2014; 29 (3): 280-6

Jung M, Kosaka H, Saito DN, Ishitobi M, Morita T, Inohara K, Asano M, Arai S, Munesue T, Tomoda A, Wada Y, Sadato N, Okazawa H, Iidaka T. Default mode network in young male adults with autism spectrum disorder: relationship with autism spectrum traits. *Molecular Autism* 2014; 5: 35

Fujishiro H. Effects of gabapentin enacarbil on restless legs syndrome and leg pain in dementia with Lewy bodies. *Psychogeriatrics* 2014; 14 (2): 132–4

Uno Y, Mizukami H, Ando M, Yukihiko R, Iwasaki Y, Ozaki N. Reliability and Validity of the New Tanaka B Intelligence Scale Scores: A Group Intelligence Test. *PLoS One* 2014; 9 (6): e100262

Katayama H, Kohmura K, Tanaka S, Imaeda M, Kawano N, Noda Y, Nishioka K, Ando M, Aleksic B, Iidaka T, Ozaki N. Social insecurity in relation to orbitofrontal activity in patients with eating disorders: a near-infrared spectroscopy study. *BMC Psychiatry* 2014; 14 (1): 173

Saito T, Kondo K, Iwayama Y, Shimasaki A, Aleksic B, Yamada K, Toyota T, Hattori E, Esaki K, Ujike H, Inada T, Kunugi H, Kato T, Yoshikawa T, Ozaki N, Ikeda M, Iwata N. Replication and cross-phenotype study based upon schizophrenia GWASs data in the Japanese population: Support for association of MHC region with psychosis. *Am J Med Genet B Neuropsychiatr Genet* 2014; 165 (5): 421-7

Fujishiro H. Cardiac 123I- metaiodobenzylguanidine scintigraphy in elderly depressed patients. *Psychiatry Clin Neurosci* 2014; 68 (8): 652

Ohoka H, Koide T, Goto S, Murase S, Kanai A, Masuda T, Aleksic B, Ishikawa N, Furumura K, Ozaki N. Effects of maternal depressive symptomatology during pregnancy and the postpartum period on infant-mother attachment. *Psychiatry Clin Neurosci* 2014; 68 (8): 631-9

Wang C, Koide T, Kimura H, Kunimoto S, Yoshimi A, Nakamura Y, Kushima I, Banno M, Kawano N, Takasaki Y, Xing J, Noda Y, Mouri A, Aleksic B, Ikeda M, Okada T, Iidaka T, Inada

T, Iwata N, Ozaki N. Novel rare variants in F-box protein 45 (FBXO45) in schizophrenia. *Schizophr Res* 2014; 157 (1-3): 149-56

Kawamura T, Umemura T, Umegaki H, Imamine R, Kawano N, Tanaka C, Kawai M, Minatoguchi M, Kusama M, Kouchi Y, Watarai A, Kanai A, Nakashima E, Hotta N. Effect of renal impairment on cognitive function during a 3-year follow up in elderly patients with type 2 diabetes: Association with micro inflammation. *Journal of Diabetes Investigation* 2014; 5 (5): 597–605

Kasanuki K, Iseki E, Kondo D, Fujishiro H, Minegishi M, Sato K, Katsuse O, Hino H, Kosaka K, Arai H. Neuropathological investigation of hypocretin expression in brains of dementia with Lewy bodies. *Neurosci Lett* 2014; 569: 68-73.