

An autopsy case of cortical superficial siderosis with prolonged abnormal behavior. , Torii Y, Iritani S, Fujishiro H, Sekiguchi H, Habuchi C, Umeda K, Matsunaga S, Mimuro M, Ozaki N, Yoshida M, Fujita K. , *Neuropathology* , 2016

An autopsy case of dementia with Lewy bodies clinically diagnosed to have a behavioral variant of frontotemporal dementia. , Sekiguchi H, Moriwaki M, Iritani S, Habuchi C, Torii Y, Umeda K, Fujishiro H, Yoshida M, Fujita K. , *Clin Neuropathol* , 2016

An open-labeled trial of ramelteon in idiopathic REM sleep behavior disorder. , Esaki Y, Kitajima T, Koike S, Fujishiro H, Iwata Y, Tsuchiya A, Hirose M, Iwata N. , *J Clin Sleep Med* , 12 卷 5 号 (頁 : 689-693) , 2016

Aripiprazole in the Treatment of Irritability in Children and Adolescents with Autism Spectrum Disorder in Japan: A Randomized, Double-blind, Placebo-controlled Study , Hironobu Ichikawa Katsunaka Mikami Takashi Okada Yushiro YamashitaYuko Ishizaki Akemi Tomoda Hiroaki Ono

Chiharu Usuki Yoshihiro Tadori , Child Psychiatry & Human Development

(頁 : 1-11) , 2016

Catecholaminergic neuronal network dysfunction in the frontal lobe of a

genetic mouse model of schizophrenia. , Iritani S, Sekiguchi H, Habuchi C,

Torii Y, Kuroda K, Kaibuchi K, Ozaki N , Acta neuropsychiatrica , 28 卷 2

号 (頁 : 117-23) , 2016

Characteristics of mild cognitive impairment tending to convert into

Alzheimer's disease or dementia with Lewy bodies: A follow-up study in a

memory clinic. , Kondo D, Ota K, Kasanuki K, Fujishiro H, Chiba Y,

Murayama N, Sato K, Hirayasu Y, Arai H, Iseki E. , J Neurol Sci , 2016

Cognitive dysfunction in patients with very mild Alzheimer's disease and

amnesic mild cognitive impairment showing hemispheric asymmetries of

hypometabolism on 18F-FDG PET. , Murayama N, Ota K, Kasanuki K,

Kondo D, Fujishiro H, Fukase Y, Tagaya H, Sato K, Iseki E. , Int J Geriatr

Psychiatry , 2016

Current Viewpoints on DSM-5 in Japan , Kuroki T, Ishitobi M, Kamio Y, Sugihara G, Murai T, Motomura K, Ogasawara K, Kimura H, Aleksic B, Ozaki N, Nakao T, Yamada K, Yoshiuchi K, Kiriike N, Ishikawa T, Kubo C, Matsunaga C, Miyata H, Asada T, Kanba S , Psychiatry Clin Neurosci , 70 卷 9号 (頁 : 371-393) , 2016

Delirium prior to dementia as a clinical phenotype of Lewy body disease: an autopsied case report. , Fujishiro H, Kawakami I, Oshima K, Niizato K, Iritani S. , Int Psychogeriatr , 2016

Dysfunction of response inhibition in eating disorders , M Yano, N Kawano, S Tanaka, K Kohmura, H Katayama, K Nishioka, N Ozaki , Journal of Clinical and Experimental Neuropsychology (頁 : 1-9) , 2016

Early differential diagnosis between Alzheimer's disease and dementia with Lewy bodies: Comparison between 18F-FDG PET and 123I-IMP SPECT. , Chiba Y, Iseki E, Fujishiro H, Ota K, Kasanuki K, Suzuki M,

Hirayasu Y, Arai H, Sato K , Psychiatry Res , 2016

Effect of adjunctive aripiprazole on sexual dysfunction in schizophrenia: a preliminary open-label study , Fujioi J, Iwamoto K, Banno M, Kikuchi T, Aleksic B, Ozaki N , Pharmacopsychiatry , 50 卷 2 号 (頁: 74-78) , 2016

Effectiveness of low-dose pregabalin in three patients with Lewy body disease and central neuropathic pain. , Ukai K, Fujishiro H, Ozaki N , Psychogeriatrics , 2016

Evaluation of titers of antibodies against peptides of subunits NR1 and NR2B of glutamate receptor by enzyme-linked immunosorbent assay in psychiatric patients with anti-thyroid antibodies. , Ikura T, Katsuse O, Chiba Y, Takahashi Y, Fujishiro H, Kamada A, Saito T, Hirayasu Y. , Neurosci Lett , 2016

High-resolution copy number variation analysis of schizophrenia in Japan , Kushima I, Aleksic B, Nakatochi M, Shimamura T, Shiino T, Yoshimi A,

Kimura H, Takasaki Y, Wang C, Xing J, Ishizuka K, Oya-Ito T, Nakamura Y, Arioka Y, Maeda T, Yamamoto M, Yoshida M, Noma H, Hamada S, Morikawa M, Uno Y, Okada T, Iidaka T, Iritani S, Yamamoto T, Miyashita M, Kobori A, Arai M, Itokawa M, Cheng M-C, Chuang Y-A, Chen C-H, Suzuki M, Takahashi T, R Hashimoto, Yamamori H, Yasuda Y, Watanabe Y, Nunokawa A, Someya T, Ikeda M, Toyota T, Yoshikawa T, Numata S, Ohmori T, Kunimoto S, Mori D, Iwata N, Ozaki N , Molecular Psychiatry (頁 : in print) , 2016

Hypochondriasis as early manifestation in dementia with Lewy bodies: an autopsied case report. , Fujishiro H, Iritani S, Sekiguchi H, Habuchi C, Torii Y, Matsunaga S, Ozaki N, Yoshida M, Fujita K. , Psychogeriatrics , 16 卷 2号 (頁 : 139-144) , 2016

Immunohistochemical evaluation of the GABAergic neuronal system in the prefrontal cortex of a DISC1 knockout mouse model of schizophrenia. , Umeda K, Iritani S, Fujishiro H, Sekiguchi H, Torii Y, Habuchi C, Kuroda K, Kaibuchi K, Ozaki N. , Synapse,70,508-518,2016.

Investigation of Rare Single-Nucleotide PCDH15 Variants in Schizophrenia and Autism Spectrum Disorders , Kanako Ishizuka, Hiroki Kimura, Chenyao Wang, Jingrui Xing, Itaru Kushima, Yuko Arioka, Tomoko Oya-Ito, Yota Uno, Takashi Okada, Daisuke Mori, Branko Aleksic*, Norio Ozaki , PLoS One , 11 卷 4号 (頁 : e0153224) , 2016

Investigation of single-nucleotide variants in MBD5 associated with autism spectrum disorders and schizophrenia phenotypes , Kanako Ishizuka, Hiroki Kimura, Akira Yoshimi, Masahiro Banno, Itaru Kushima, Yota Uno, Takashi Okada, Daisuke Mori, Branko Aleksic, Norio Ozaki , Nagoya Journal of Medical Science (頁 : in print) , 2016

Masked hypertension and morning blood pressure surge in patients with obstructive sleep apnea syndrome , Miyata S, Noda A, Otake H, Yasuda Y. , J Sleep Disor: Treat Care , 5 卷 (頁 : 1) , 2016

Practices for supporting and confirming decision-making involved in kidney and liver donation by related living donors in Japan: A nationwide

survey , Katsuji Nishimura, Sayaka Kobayashi, Junko Tsutsui, Hiroaki
Kawasaki, Shuichi Katsuragawa, Shun'ichi Noma, Hiroyuki Kimura, Hiroto
Egawa, Kenji Yuzawa, Koji Umeshita, Atsushi Aikawa, Shinji Uemoto,
Shiro Takahara, Jun Ishigooka , Am J Transplantation , 16 卷 3号 (頁 :
860-868) , 2016

Prediction of later clinical course by a specific glucose metabolic pattern in
non-demented patients with probable REM sleep behavior disorder
admitted to a memory clinic: A case study. , Ota K, Fujishiro H, Kasanuki
K, Kondo D, Chiba Y, Murayama N, Arai H, Sato K, Iseki E. , Psychiatry
Res , 2016

REM sleep without atonia in middle-aged and older psychiatric patients
and Lewy body disease: a case series. , Fujishiro H, Okuda M, Iwamoto K,
Miyata S, Otake H, Noda A, Iritani S, Ozaki N. , Int J Geriatr Psychiatry ,
2016

REM sleep without atonia may help diagnose Lewy body disease in

middle-aged and older patients with somatic symptom disorder. ,
Munehika T, Fujishiro H, Okuda M, Iwamoto K, Torii Y, Iritani S, Ozaki N. ,
Psychogeriatrics , 2016

Rapid eye movement sleep without atonia may help diagnose Lewy body
disease in middle-aged and older patients with somatic symptom
disorder. , Munehika T, Fujishiro H, Okuda M, Iwamoto K, Torii Y, Iritani
S, Ozaki N , Psychogeriatrics : the official journal of the Japanese
Psychogeriatric Society , 2016

Risk factors for elevated liver enzymes during refeeding of severely
malnourished patients with eating disorders: a retrospective cohort study ,
Imaeda Miho, Tanaka Satoshi, Fujishiro Hiroshige, Kato Saki, Ishigami
Masatoshi, Kawano Naoko, Katayama Hiroto, Kohmura Kunihiro, Ando
Masahiko, Nishioka Kazuo, Ozaki Norio , Journal of Eating Disorders , 4
卷 37号 , 2016

Risk of alcohol use relapse after liver transplantation for alcoholic liver
disease , Yasuharu Onishi, Hiroyuki Kimura, Tomohide Hori, Shinichi Kishi,

Hideya Kamei, Nobuhiko Kurata, Chisato Tsuboi, Naoko Yamaguchi, Mayu Takahashi, Saki Sunada, Mitsuaki Hirano, Hiroshige Fujishiro, Takashi Okada, Masatoshi Ishigami, Hidemi Goto, Norio Ozaki, Yasuhiro Ogura ,
World Journal of Gastroenterology 第 23 卷 5 号, 869-875 , 2016

Similarity of symptoms between transient epileptic amnesia and Lewy body disease. , Ukai K, Fujishiro H, Watanabe M, Kosaka K, Ozaki N. ,
Psychogeriatrics , 2016

The prognostic factors and trajectory of HRQOL in patients with pancreatic cancer who received psychiatric intervention. , Sugimoto H, Kawashima H, Ono E, Hayashi D, Kuwahara T, Morishima T, Kawai M, Suhara H, Takeyama T, Yamamura T, Funasaka K, Nakamura M, Miyahara R, Watanabe O, Ishigami M, Suzuki M, Kimura H, Ozaki N, Hashimoto S, Goto H, Hirooka Y , J Gastroenterol Hepatol , 31 卷 3 号
(頁 : 685-690) , 2016

Bright light therapy for sleep disturbance in dementia is most effective for

mild to moderate Alzheimer's type dementia: a case series.

Sekiguchi H, Iritani S, Fujita K. *Psychogeriatrics*. 2017 Jan 27. doi:
10.1111/psyg.12233. [Epub ahead of print]