

- 1 Baba M, Yokoyama K, Seiriki K, Naka Y, Matsumura K, Kondo M, Yamamoto K, Hayashida M, Kasai A, Ago Y, Nagayasu K, Hayata-Takano A, Takahashi A, Yamaguchi S, Mori D, Ozaki N, Yamamoto T, Takuma K, Hashimoto R, Hashimoto H, Nakazawa T. Psychiatric-disorder-related behavioral phenotypes and cortical hyperactivity in a mouse model of 3q29 deletion syndrome. *Neuropsychopharmacology : official publication of the American College of Neuropsychopharmacology*. 2019;44(12):2125-35.
- 2 Bagarinao E, Watanabe H, Maesawa S, Mori D, Hara K, Kawabata K, Yoneyama N, Ohdake R, Imai K, Masuda M, Yokoi T, Ogura A, Taoka T, Koyama S, Tanabe HC, Katsuno M, Wakabayashi T, Kuzuya M, Ozaki N, Hoshiyama M, Isoda H, Naganawa S, Sobue G. Reorganization of brain networks and its association with general cognitive performance over the adult lifespan. *Scientific reports*. 2019;9(1):11352.
- 3 Fujishiro H, Kimura H, Nakamura T, Torii Y, Iritani S, Ozaki N. Hypochondriasis in the elderly and lewy body disease. *Psychogeriatrics : the official journal of the Japanese Psychogeriatric Society*. 2019;19(5):516-8.
- 4 Fujishiro H, Okuda M, Iwamoto K, Miyata S, Torii Y, Iritani S, Ozaki N. Clinical profiles of late-onset psychiatric patients exhibiting incidental rem sleep without atonia. *Journal of neural transmission (Vienna, Austria : 1996)*. 2019;126(8):1095-104.
- 5 Hasegawa S, Yoshimi A, Mouri A, Uchida Y, Hida H, Mishina M, Yamada K, Ozaki N, Nabeshima T, Noda Y. Acute administration of ketamine attenuates the impairment of social behaviors induced by social defeat stress exposure as juveniles via activation of alpha-amino-3-hydroxy-5-methyl-4-isoxazolepropionic acid (ampa) receptors. *Neuropharmacology*. 2019;148:107-16.
- 6 Hayakawa N, Tanaka S, Hirata N, Ogino S, Ozaki N. A battery of self-screening instruments and self-reported body frame could not detect eating disorders among college students. *BMC research notes*. 2019;12(1):613.
- 7 Hirano M, Iritani S, Fujishiro H, Torii Y, Habuchi C, Sekiguchi H, Yoshida M, Ozaki N. Clinicopathological differences between the motor onset and psychiatric onset of huntington's disease, focusing on the nucleus accumbens. *Neuropathology : official journal of the Japanese Society of Neuropathology*. 2019;39(5):331-41.

- 8 Ikeda M, Takahashi A, Kamatani Y, Momozawa Y, Saito T, Kondo K, Shimasaki A, Kawase K, Sakusabe T, Iwayama Y, Toyota T, Wakuda T, Kikuchi M, Kanahara N, Yamamori H, Yasuda Y, Watanabe Y, Hoya S, Aleksic B, Kushima I, Arai H, Takaki M, Hattori K, Kunugi H, Okahisa Y, Ohnuma T, Ozaki N, Someya T, Hashimoto R, Yoshikawa T, Kubo M, Iwata N. Genome-wide association study detected novel susceptibility genes for schizophrenia and shared trans-populations/diseases genetic effect. *Schizophrenia bulletin*. 2019;45(4):824-34.
- 9 Ishii T, Ishikawa M, Fujimori K, Maeda T, Kushima I, Arioka Y, Mori D, Nakatake Y, Yamagata B, Nio S, Kato TA, Yang N, Wernig M, Kanba S, Mimura M, Ozaki N, Okano H. In vitro modeling of the bipolar disorder and schizophrenia using patient-derived induced pluripotent stem cells with copy number variations of *pcdh15* and *reln*. *eNeuro*. 2019;6(5).
- 10 Iwata M, Iwamoto K, Omura T, Ando M, Ozaki N. Protocol for the development and validation of a driving simulator for evaluating the influence of drugs on driving performance. *Medicine*. 2019;98(8):e14613.
- 11 Kato H, Ozaki N. [the considerations for diagnosis of autism spectrum disorders and its pathogenic mechanisms]. *Rinsho shinkeigaku = Clinical neurology*. 2019;59(1):13-20.
- 12 Kawakubo H, Matsui Y, Kushima I, Ozaki N, Shimamura T. A network of networks approach for modeling interconnected brain tissue-specific networks. *Bioinformatics (Oxford, England)*. 2019;35(17):3092-101.
- 13 Kubota C, Inada T, Shiino T, Ando M, Aleksic B, Yamauchi A, Sato M, Ohara M, Murase S, Morikawa M, Nakamura Y, Okada T, Goto S, Kanai A, Ozaki N. Relation between perinatal depressive symptoms, harm avoidance, and a history of major depressive disorder: A cohort study of pregnant women in japan. *Frontiers in psychiatry*. 2019;10:515.
- 14 Matsubara T, Hayashi K, Wakatsuki K, Abe M, Ozaki N, Yamanaka A, Mizumura K, Taguchi T. Thin-fibre receptors expressing acid-sensing ion channel 3 contribute to muscular mechanical hypersensitivity after exercise. *European journal of pain (London, England)*. 2019;23(10):1801-13.
- 15 Miyata S, Noda A, Kawai S, Honda K, Iwamoto K, Ozaki N, Miyazaki S, Kondo T. Delayed sleep/wake rhythm and excessive daytime sleepiness correlate with decreased daytime brain activity during cognitive task in university students. *Biological and rhythm research*, 2019;

50(2) : 171-179.

- 16 Miyauchi T, Tokura T, Kimura H, Ito M, Umemura E, Sato Boku A, Nagashima W, Tonoike T, Yamamoto Y, Saito K, Kurita K, Ozaki N. Effect of antidepressant treatment on plasma levels of neuroinflammation-associated molecules in patients with somatic symptom disorder with predominant pain around the orofacial region. *Human psychopharmacology*. 2019;34(4):e2698.
- 17 Mizutani R, Saiga R, Takeuchi A, Uesugi K, Terada Y, Suzuki Y, De Andrade V, De Carlo F, Takekoshi S, Inomoto C, Nakamura N, Kushima I, Iritani S, Ozaki N, Ide S, Ikeda K, Oshima K, Itokawa M, Arai M. Three-dimensional alteration of neurites in schizophrenia. *Translational psychiatry*. 2019;9(1):85.
- 18 Nakamura Y, Nakatochi M, Kunimoto S, Okada T, Aleksic B, Toyama M, Shiino T, Morikawa M, Yamauchi A, Yoshimi A, Furukawa-Hibi Y, Nagai T, Ohara M, Kubota C, Yamada K, Ando M, Ozaki N. Methylation analysis for postpartum depression: A case control study. *BMC psychiatry*. 2019;19(1):190.
- 19 Noda A, Yasuma F, Miyata S, Iwamoto K, Yasuda Y, Ozaki N. Sleep fragmentation and risk of automobile accidents in patients with obstructive sleep apnea. *Health* 2019; 11(2): 171-181.
- 20 Owada K, Okada T, Munesue T, Kuroda M, Fujioka T, Uno Y, Matsumoto K, Kuwabara H, Mori D, Okamoto Y, Yoshimura Y, Kawakubo Y, Arioka Y, Kojima M, Yuhi T, Yassin W, Kushima I, Benner S, Ogawa N, Kawano N, Eriguchi Y, Uemura Y, Yamamoto M, Kano Y, Kasai K, Higashida H, Ozaki N, Kosaka H, Yamasue H. Quantitative facial expression analysis revealed the efficacy and time course of oxytocin in autism. *Brain : a journal of neurology*. 2019;142(7):2127-36.
- 21 Park SC, Oh HS, Tripathi A, Kallivayalil RA, Avasthi A, Grover S, Tanra AJ, Kanba S, Kato TA, Inada T, Chee KY, Chong MY, Lin SK, Sim K, Xiang YT, Tan CH, Javed A, Sartorius N, Shinfuku N, Park YC. Cannabis use correlates with aggressive behavior and long-acting injectable antipsychotic treatment in asian patients with schizophrenia. *Nordic journal of psychiatry*. 2019;73(6):323-30.
- 22 Sato N, Kimura H, Adachi Y, Nishio N, Ando M, Tokura T, Nagashima W, Kishi S, Yamauchi A, Yoshida K, Hiramatsu M, Fujimoto Y, Ozaki N. Exploration of coping styles in male

- patients with head and neck cancer: A prospective cohort study. *Nagoya journal of medical science*. 2019;81(2):249-58.
- 23 Shishido E, Ogawa S, Miyata S, Yamamoto M, Inada T, Ozaki N. Application of eye trackers for understanding mental disorders: Cases for schizophrenia and autism spectrum disorder. *Neuropsychopharmacology reports*. 2019;39(2):72-7.
  - 24 Takeuchi S, Hida H, Uchida M, Naruse R, Yoshimi A, Kitagaki S, Ozaki N, Noda Y. Blonanserin ameliorates social deficit through dopamine-d3 receptor antagonism in mice administered phencyclidine as an animal model of schizophrenia. *Neurochemistry international*. 2019;128:127-34.
  - 25 Tanaka S, Oya-Ito T, Murakami Y, Saito K, Furuta S, Yu Y, Imaeda M, Kunimoto S, Ozaki N. Decline of plasma concentrations of interleukin-18 in severely malnourished patients with anorexia nervosa: Exploratory analysis. *Nutrients*. 2019;11(3).
  - 26 Teshigawara T, Mouri A, Kubo H, Nakamura Y, Shiino T, Okada T, Morikawa M, Nabeshima T, Ozaki N, Yamamoto Y, Saito K. Changes in tryptophan metabolism during pregnancy and postpartum periods: Potential involvement in postpartum depressive symptoms. *Journal of affective disorders*. 2019;255:168-76.
  - 27 Uchida M, Hida H, Mori K, Yoshimi A, Kitagaki S, Yamada K, Hiraoka Y, Aida T, Tanaka K, Ozaki N, Noda Y. Erratum to "functional roles of the glial glutamate transporter (glast) in emotional and cognitive abnormalities of mice after repeated phencyclidine administration" [*European neuropsychopharmacology* (2019) 29, 914-924]. *European neuropsychopharmacology : the journal of the European College of Neuropsychopharmacology*. 2019;29(9):1063-4.
  - 28 Uchida M, Hida H, Mori K, Yoshimi A, Kitagaki S, Yamada K, Hiraoka Y, Aida T, Tanaka K, Ozaki N, Noda Y. Functional roles of the glial glutamate transporter (glast) in emotional and cognitive abnormalities of mice after repeated phencyclidine administration. *European neuropsychopharmacology : the journal of the European College of Neuropsychopharmacology*. 2019;29(8):914-24.
  - 29 Ueda K, Kiyota A, Tsuchida M, Okazaki M, Ozaki N. Successful treatment of myxedema coma with a combination of levothyroxine and liothyronine. *Endocrine journal*.

2019;66(5):469-74.

- 30 Umemura E, Tokura T, Ito M, Kobayashi Y, Tachibana M, Miyauchi T, Tonoike T, Nagashima W, Kimura H, Arao M, Sato Boku A, Ozaki N, Kurita K. Oral medicine psychiatric liaison clinic: Study of 1202 patients attending over an 18-year period. *International journal of oral and maxillofacial surgery*. 2019;48(5):644-50.
- 31 Weidle B, Chaulagain A, Stensen K, Aleksic B, Skokauskas N, Inada T. Drug-induced extrapyramidal symptoms scale of the norwegian version: Inter-rater and test-retest reliability. *Nordic journal of psychiatry*. 2019;73(8):546-50.
- 32 Yoshimi A, Yamada S, Kunimoto S, Aleksic B, Hirakawa A, Ohashi M, Matsumoto Y, Hada K, Itoh N, Arioka Y, Kimura H, Kushima I, Nakamura Y, Shiino T, Mori D, Tanaka S, Hamada S, Noda Y, Nagai T, Yamada K, Ozaki N. Author correction: Proteomic analysis of lymphoblastoid cell lines from schizophrenic patients. *Translational psychiatry*. 2019;9(1):146.
- 33 Yoshimi A, Yamada S, Kunimoto S, Aleksic B, Hirakawa A, Ohashi M, Matsumoto Y, Hada K, Itoh N, Arioka Y, Kimura H, Kushima I, Nakamura Y, Shiino T, Mori D, Tanaka S, Hamada S, Noda Y, Nagai T, Yamada K, Ozaki N. Proteomic analysis of lymphoblastoid cell lines from schizophrenic patients. *Translational psychiatry*. 2019;9(1):126.
- 34 Arioka Y, Hirata A, Kushima I, Aleksic B, Mori D, Ozaki N. Characterization of a schizophrenia patient with a rare reln deletion by combining genomic and patient-derived cell analyses. *Schizophrenia research*. 2019. In press.
- 35 Miyata S, Otake H, Ando M, Okuda M, Fujishiro H, Iwamoto K, Noda A, Sone M, Ozaki N. Patient characteristics affecting accurate detection of sleep apnea using a bed sheet-type portable monitor. *Sleep & breathing*. 2019. In Press.
- 36 Mukoyama N, Nishio N, Kimura H, Kishi S, Tokura T, Kimura H, Hiramatsu M, Maruo T, Tsuzuki H, Fujii M, Iwami K, Takanari K, Kamei Y, Ozaki N, Sone M, Fujimoto Y. Prospective evaluation of health-related quality of life in patients undergoing anterolateral craniofacial resection with orbital exenteration. *Journal of Neurological Surgery Part B*, 2019. In Press.